

General review

Tjong SC, Chen H

Nanocrystalline materials and coatings.

MATERIALS SCIENCE & ENGINEERING R-R-ORTS.S- 30 2004,VOL 4,51-88

Zhang X, Wang H, Koch CC

Mechanical behavior of bulk ultrafine-grained and nanocrystalline Zn.

REVIEWS ON ADVANCED MATERIALS SCIENCE.MAY 2004,VOL 6,53-93

Kurzydowski KJ, Garbacz H, Richert M

Effect of severe plastic deformation on the microstructure and mechanical properties of Al and Cu.

REVIEWS ON ADVANCED MATERIALS SCIENCE.DEC 2004,VOL 8,129-133

Processing

Zhu YT, Langdon TG

The fundamentals of nanostructured materials processed by severe plastic deformation.

JOM.OCT 2004,VOL 56,58-63

Raab GJ, Valiev RZ, Lowe TC, Zhu YT

Continuous processing of ultrafine grained Al by ECAP-Conform.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES

MICROSTRUCTURE AND PROCESSING.S- 25 2004,VOL 382,30-34

Perez CJL

On the correct selection of the channel die in ECAP processes.

SCRIPTA MATERIALIA.FEB 2004,VOL 50,387-393

Park KT, Han SY, Ahn BD, Shin DH, Lee YK, Um KK

Ultrafine grained dual phase steel fabricated by equal channel angular pressing and subsequent intercritical annealing.

SCRIPTA MATERIALIA.NOV 2004,VOL 51,909-913

Zhu YT, Lowe TC, Langdon TG

Performance and applications of nanostructured materials produced by severe plastic deformation.

SCRIPTA MATERIALIA.OCT 2004,VOL 51,825-830

Nakamura K, Neishi K, Kaneko K, Nakagaki M, Horita Z

Development of severe torsion straining process for rapid continuous grain refinement.

MATERIALS TRANSACTIONS.DEC 2004,,VOL 45,3338-3342

Takara A, Nishikawa Y, Watanabe H, Somekawa H, Mukai T, Higashi K

Secondary processing of AZ31 magnesium alloy concomitant with grain growth or dynamic

recrystallization.

MATERIALS TRANSACTIONS.JUL 2004,VOL 45,2372-2382

Purcek G, Altan BS, Miskioglu I, Ooi PH

Processing of eutectic Zn-5% Al alloy by equal-channel angular pressing.

JOURNAL OF MATERIALS PROCESSING TECHNOLOGY.MAY 30 2004,VOL 148,279-287

Yang FQ, Peng LL, Okazaki K

Micro-indentation of aluminum processed by equal channel angular extrusion.

JOURNAL OF MATERIALS RESEARCH.APR 2004,VOL 19,1243-1248

Zhao X, Jing TF, Gao YW, Zhou JF, Wang W

A new SPD process for spheroidal cast iron.

MATERIALS LETTERS.JUL 2004,VOL 58,2335-2339

Chung MK, Choi YS, Kim JG, Kim YM, Lee JC

Effect of the number of ECAP pass time on the electrochemical properties of 1050 Al alloys.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES

MICROSTRUCTURE AND PROCESSING.FEB 15 2004,VOL 366,282-291

Microstructure

Ovid'ko IA, Sheinerman AG

Dislocation climb in nanocrystalline materials under high-strain-rate superplastic deformation.

REVIEWS ON ADVANCED MATERIALS SCIENCE.APR 2004,VOL 6,21-27

Starink MJ, Gao N, Furukawa M, Horita Z, Xu C, Langdon TG

Microstructural developments in a spray-cast Al-7034 alloy processed by equal-channel angular pressing.

REVIEWS ON ADVANCED MATERIALS SCIENCE.JUL 2004,VOL 7,1-12

Zhilyaev AP, Baro MD, Langdon TG, McNelley TR

An examination of microtexture and microstructure in ultrafine-grained nickel.

REVIEWS ON ADVANCED MATERIALS SCIENCE.JUL 2004,VOL 7,41-49

Adamczyk-Cieslak B, Mizera J, Lewandowska M, Kurzydowski KJ

Microstructure evaluation in an Al-Li alloy processed by severe plastic deformation.

REVIEWS ON ADVANCED MATERIALS SCIENCE.DEC 2004,VOL 8,107-110

Creasy T, Skang YS

Fiber orientation during equal channel angular extrusion of short fiber reinforced thermoplastics.

JOURNAL OF THERMOPLASTIC COMPOSITE MATERIALS.MAY 2004,VOL 17,205-227

Miroslav, G Stanislav, R Milena, W

Structural characteristics magnesium alloys along of the equal channel angular pressing.
ADVANCES IN ENGINEERING PLASTICITY AND ITS APPLICATIONS, PTS 1 AND 2SE
KEY ENGINEERING MATERIALS.2004,VOL 274-276,1083-1088

Sun PL, Kao PW, Chang CP

High angle boundary formation by grain subdivision in equal channel angular extrusion.
SCRIPTA MATERIALIA.S- 2004,VOL 51,565-570

Grabovetskaya GP, Kolobov YR, Girsova NV

Effect of cold plastic deformation on the structure and deformation behavior of a
submicrocrystalline titanium obtained by the method of equal-channel angular pressing.
PHYSICS OF METALS AND METALLOGRAPHY.DEC 2004,VOL 98,632-638

Jiang JF, Luo SJ

Reheating microstructure of refined AZ91D magnesium alloy in semi-solid state.
TRANSACTIONS OF NONFERROUS METALS SOCIETY OF CHINA.DEC 2004,VOL
14,1074-1081

Zheng LJ, Chen CQ, Zhou TT, Liu PY, Zeng MG

Grain-refining mechanism of ECAP and its effect on microstructures and mechanical properties of
pure Al.
RARE METAL MATERIALS AND ENGINEERING.DEC 2004,VOL 33,1325-1328

Gubicza J, Chinh NQ, Horita Z, Langdon TG

Effect of Mg addition on microstructure and mechanical properties of aluminum.
MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES
MICROSTRUCTURE AND PROCESSING.DEC 15 2004, VOL 387-89,55-59

Raab GI, Soshnikova, Valiev RZ

Influence of temperature and hydrostatic pressure during equal-channel angular pressing on the
microstructure of commercial-purity Ti.
MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES
MICROSTRUCTURE AND PROCESSING.DEC 15 2004, VOL 387-89,674-677

Karnthaler HP, Waitz T, Rentenberger C, Mingler B

TEM of nanostructured metals and alloys.
MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES
MICROSTRUCTURE AND PROCESSING.DEC 15 2004,777-782

Rentenberger C, Mangler C, Karnthaler HP

Nanostructures in L1(2)-ordered Cu₃Au processed by torsion under high pressure.
MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES
MICROSTRUCTURE AND PROCESSING.DEC 15 2004, VOL 387-89,795-798

Schafner E, Pippan R

Effect of thermal treatment on microstructure in high pressure torsion (HPT) deformed nickel.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES
MICROSTRUCTURE AND PROCESSING.DEC 15 2004,VOL 387-89,799-804

Wetscher F, Vorhauer A, Stock R, Pippan R

Structural refinement of low alloyed steels during severe plastic deformation.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES
MICROSTRUCTURE AND PROCESSING.DEC 15 2004,VOL 387-89,809-816

Dubravina A, Zehetbauer MJ, Schafner E, Alexandrov IV

Correlation between domain size obtained by X-ray Bragg profile analysis and macroscopic flow stress in severely plastically deformed copper.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES
MICROSTRUCTURE AND PROCESSING.DEC 15 2004,VOL 387-89,817-821

Lin L, Liu Z, Chen LJ, Liu T, Wu SD

Microstructure evolution and low temperature superplasticity of ZK40 magnesium alloy subjected to ECAP.

METALS AND MATERIALS INTERNATIONAL.DEC 2004,501-506

Birkholz M, Genzel C, Jung T

X-ray diffraction study on residual stress and preferred orientation in thin titanium films subjected to a high ion flux during deposition.

JOURNAL OF APPLIED PHYSICS.DEC 15 2004,VOL 96,7202-7211

Sivakumar SM, Ortiz M

Microstructure evolution in the equal channel angular extrusion process.

COMPUTER METHODS IN APPLIED MECHANICS AND ENGINEERING.2004,VOL
193,5177-5194

Wang LZ, Wang JT, Gyo C, Chen JD

Observation of macroscopic shear band in aluminum-based alloy during equal-channel angular pressing.

TRANSACTIONS OF NONFERROUS METALS SOCIETY OF CHINA.OCT 2004,VOL
14,957-960

Malygin GA

Analysis of the parameters of a submicron dislocation structure in metals subjected to severe plastic deformation.

PHYSICS OF THE SOLID STATE.2004,VOL 46,2035-2041

Blum W, Li YJ

Influence of grain boundaries on steady-state deformation resistance of ultrafine-grained Cu.

PHYSICA STATUS SOLIDI A-APPLIED RESEARCH.OCT 2004,VOL 201,2915-2921

Lee YB, Shin DH, Nam WJ

Effect of deformation temperature on the formation of ultrafine grains in the 5052 Al alloy.
METALS AND MATERIALS INTERNATIONAL.OCT 2004,VOL 10,407-410

Waitz T, Karnthaler HP

Martensitic transformation of NiTi nanocrystals embedded in an amorphous matrix.
ACTA MATERIALIA.NOV 8 2004,VOL 52,5461-5469

Jin YH, Huh MY, Chung YH

Evolution of textures and microstructures in IF-steel sheets during continuous confined strip shearing and subsequent recrystallization annealing.
JOURNAL OF MATERIALS SCIENCE.AUG-S- 2004,VOL 39,5311-5314

Belyakov A, Kimura Y, Adachi Y, Tsuzaki K

Microstructure evolution in ferritic stainless steels during large strain deformation.
MATERIALS TRANSACTIONS.S- 2004,VOL 45,2812-2821

Wang JT, Kang SB, Kim HW

Shear features during equal channel angular pressing of a lamellae eutectic alloy.
MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES
MICROSTRUCTURE AND PROCESSING.OCT 15 2004,VOL 383,356-361

Kamikawa N, Tsuji N, Minamino Y

Microstructure and texture through thickness of ultralow carbon IF steel sheet severely deformed by accumulative roll-bonding.
SCIENCE AND TECHNOLOGY OF ADVANCED MATERIALS.JAN-MAR 2004,VOL 5,163-172

Tsuji N, Iwata T, Sato M, Fujimoto S, Minamino Y

Aging behavior of ultrafine grained Al-2 wt%Cu alloy severely deformed by accumulative roll bonding.
SCIENCE AND TECHNOLOGY OF ADVANCED MATERIALS.JAN-MAR 2004,VOL 5,173-180

Kuzel R, Matej Z, Cherkaska V, Pesicka J, Cizek J, Prochazka I, Islamgaliev RK

Structural investigations of submicrocrystalline metals obtained by high-pressure torsion deformation.
JOURNAL OF ALLOYS AND COMPOUNDS.S- 22 2004,VOL 378,242-247

Gubicza J, Nam NH, Balogh L, Hellmig RJ, Stolyarov VV, Estrin Y, Ungar T

Microstructure of severely deformed metals determined by X-ray peak profile analysis.
JOURNAL OF ALLOYS AND COMPOUNDS.S- 22 2004,VOL 378,248-252

Straumal BB, Baretzky B, Mazilkin AA, Phillipp F, Kogtenkova OA, Volkov MN, Valiev RZ
Formation of nanograined structure and decomposition of supersaturated solid solution during high pressure torsion of Al-Zn and Al-Mg alloys.

ACTA MATERIALIA.S- 6 2004,VOL 52,4469-4478

Li SY, Beyerlein IJ, Necker CT, Alexander DJ, Bourke M
Heterogeneity of deformation texture in equal channel angular extrusion of copper.

ACTA MATERIALIA.S- 20 2004,VOL 52,4859-4875

Han JH, Suh JY, Oh KH, Lee JC,
Effects of the deformation history and the initial textures on the texture evolution in an Al alloy strip during the shear deforming process.

ACTA MATERIALIA.S- 20 2004,VOL 52,4907-4918

Park YS, Chung KH, Kim NJ, Lavernia EJ
Microstructural investigation of nanocrystalline bulk Al-Mg alloy fabricated by cryomilling and extrusion.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES
MICROSTRUCTURE AND PROCESSING.JUN 15 2004,VOL 374,211-216

Goloborodko A, Sitdikov O, Kaibyshev R, Miura H, Sakai T
Effect of pressing temperature on fine-grained structure formation in 7475 aluminum alloy during ECAP.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES
MICROSTRUCTURE AND PROCESSING.S- 15 2004,VOL 381,121-128

Vorhauer A, Pippan R
On the homogeneity of deformation by high pressure torsion.

SCRIPTA MATERIALIA.NOV 2004,VOL 51,921-925

Nita N, Schaeublin R, Victoria M
Impact of irradiation on the microstructure of nanocrystalline materials.

JOURNAL OF NUCLEAR MATERIALS.AUG 1 2004,VOL 329-333,953-957

Ungar T
Microstructural parameters from X-ray diffraction peak broadening.

SCRIPTA MATERIALIA.2004,VOL 51,777-781

Rentenberger C, Waitz T, Karnthaler HP
HRTEM analysis of nanostructured alloys processed by severe plastic deformation.

SCRIPTA MATERIALIA.2004,VOL 51,789-794

Voronova LM, Degtyarev MV, Chashchukhina TI
Low-temperature recrystallization of submicrocrystalline structure of armco iron and 30G2R steel.

PHYSICS OF METALS AND METALLOGRAPHY.JUL 2004,VOL 98,83-91

Zhu KY, Vassel A, Brisset F, Lu K, Lu J

Nanostructure formation mechanism of alpha-titanium using SMAT.

ACTA MATERIALIA.AUG 16 2004,VOL 52,4101-4110

Mazilkin AA, Kamalov MM, Myshlyayev MM

Structure and phase composition of an Al-Mg-Li-Zr alloy under high-rate superplasticity conditions.

PHYSICS OF THE SOLID STATE.2004,VOL 46,1456-1461

Sitdikov O, Sakai T, Goloborodko A, Miura H, Kaibyshev R

Effect of pass strain on grain refinement in 7475 Al alloy during hot multidirectional forging.

MATERIALS TRANSACTIONS.JUL 2004,VOL 45,2232-2238

Huh MY, Lee JP, Lee JC

Formation of a random texture and ultrafine grains in AA 3003 aluminium alloy during the re-ated shear deformation introduced by continuous confined strip shearing

MATERIALS SCIENCE AND TECHNOLOGY.JUL 2004, VOL 20,819-824

Yapici GG, Karaman I, Luo ZP, Maier HJ, Chumlyakov YI

Microstructural refinement and deformation twinning during severe plastic deformation of 316L stainless steel at high temperatures.

JOURNAL OF MATERIALS RESEARCH.AUG 2004,VOL 19,2268-2278

Prokoshkin SD, Khmelevskaya IY, Dobatkin SV, Trubitsyna IB,Tat'yanin EV, Stolyarov VV, Prokof'ev EA

Structure evolution upon severe plastic deformation of TiNi-based shape-memory alloys.

PHYSICS OF METALS AND METALLOGRAPHY.JUN 2004,VOL 97,619-625

Song R, Ponge D, Kaspar R, Raabe D

Grain boundary characterization and grain size measurement in an ultrafine-grained steel.

ZEITSCHRIFT FUR METALLKUNDE.JUN 2004,VOL 95,513-517

Park KT, Han SY, Shin DH, Lee YK, Lee KJ, Lee KS

Effect of heat treatment on microstructures and tensile properties of ultrafine grained C-Mn steel containing 0.34 mass% V.

ISI INTERNATIONAL.2004,VOL 44,1057-1062

Prangnell PB, Hayes JS, Bowen JR, Apps PJ, Bate PS

Continuous recrystallisation of lamellar deformation structures produced by severe deformation.

ACTA MATERIALIA.JUN 21 2004VOL 52,3193-3206

Jazaeri H, Humphreys FJ

The transition from discontinuous to continuous recrystallization in some aluminium alloys I - the deformed state.

ACTA MATERIALIA.JUN 21 2004,VOL 52,3239-3250

Li YY, Zhang DT, Chen WP, Liu Y, Guo GW

Microstructure evolution of AZ31 magnesium alloy during equal channel angular extrusion.

JOURNAL OF MATERIALS SCIENCE.JUN 1 2004,VOL 39,3759-3761

Cai M, Field DP, Lorimer GW

A systematic comparison of static and dynamic ageing of two Al-Mg-Si alloys

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES.

MICROSTRUCTURE AND PROCESSING.MAY 25 2004,VOL 373,65-71

Sitdikov O, Sakai T, Goloborodko A, Miura H

Grain fragmentation in a coarse-grained 7475 Al alloy during hot deformation.

SCRIPTA MATERIALIA.JUL 2004,VOL 51,175-179

Park JW, Kim JW, Chung YH

Grain refinement of steel plate by continuous equal-channel angular process.

SCRIPTA MATERIALIA.JUL 2004,VOL 51,181-184

Alkorta J, Garcia-Rosales C, Gil J

Obtaining ultra-fine grained (UFG) structures in an aluminium alloy by equal-channel angular extrusion (ECAE).

BOLETIN DE LA SOCIEDAD ESPANOLA DE CERAMICA Y VIDRIO.MAR-APR 2004,VOL 43,172-174

Ferrasse S, Segal VM, Alford E

Effect of additional processing on texture evolution of Al_{0.5}Cu alloy processed by equal channel angular extrusion (ECAE).

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES

MICROSTRUCTURE AND PROCESSING.MAY 15 2004,VOL 372,44-55

Ortiz AL, Shaw L

X-ray diffraction analysis of a severely plastically deformed aluminum alloy

ACTA MATERIALIA.MAY 3 2004,VOL 52,2185-2197

Park KT, Myung SH, Shin DH, Lee CS

Size and distribution of particles and voids pre-existing in equal channel angular pressed 5083 Al alloy: their effect on cavitation during low-temperature superplastic deformation.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES

MICROSTRUCTURE AND PROCESSING.APR 25 2004,VOL 371,178-186

Fujita T, Horita Z, Langdon TG

Using grain boundary engineering to evaluate the diffusion characteristics in ultrafine-grained Al-Mg and Al-Zn alloys.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING.APR 25 2004,VOL 371,241-250

Kim YS, Lee TO, Shin DH

Microstructural evolution and mechanical properties of ultrafine grained commercially pure 1100 aluminum alloy processed by accumulative roll-bonding (ARB).

DESIGNING, PROCESSING AND PROPERTIES OF ADVANCED ENGINEERING MATERIALS,PTS 1 AND 2

SE MATERIALS SCIENCE FORUM.2004,VOL 449-4,625-628

Huh MY, Lee JP, Lee JC, Park JW, Chung YH

Formation of shear texture and ultra-fine grains during equal angular channel rolling and subsequent annealing in AA 3003 sheet.

DESIGNING, PROCESSING AND PROPERTIES OF ADVANCED ENGINEERING MATERIALS,PTS 1 AND 2

SE MATERIALS SCIENCE FORUM.2004,VOL 449-4,873-876

Todaka Y, Umemoto M, Watanabe Y, Tsuchiya K

Formation of nanocrystalline structure in steels by air blast shot peening and particle impact processing.

DESIGNING, PROCESSING AND PROPERTIES OF ADVANCED ENGINEERING MATERIALS,PTS 1 AND 2.

SE MATERIALS SCIENCE FORUM.2004,VOL 449-4,1149-1152

Wei Q, Kecskes L, Jiao T, Hartwig KT, Ramesh KT, Ma E

Adiabatic shear banding in ultrafine-grained Fe processed by severe plastic deformation.

ACTA MATERIALIA.APR 2004,VOL 52,1859-1869

Miyamoto H, Erb U, Koyama T, Mimaki T, Vinogradov A, Hashimoto S

Microstructure and texture development of copper single crystals deformed by equal-channel angular pressing.

PHILOSOPHICAL MAGAZINE LETTERS.APR 2004,VOL 84,235-243

Ferrasse S, Segal VM, Kalidindi SR, Alford F

Texture evolution during equal channel angular extrusion Part I. Effect of route, number of passes and initial texture.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING.MAR 15 2004,VOL 368,28-40

Bachurin DV, Nazarov AA

Relaxation of nonequilibrium grain-boundary structure in nanocrystals.

PHYSICS OF METALS AND METALLOGRAPHY.FEB 2004,VOL 97,133-136

Chuvil'deev VN, Kopylov VI, Nokhrin AV, Makarov IM, Gryaznov MY
Recrystallization in microcrystalline copper and nickel produced by equal-channel angular pressing:
III. Abnormal grain growth: A model.
PHYSICS OF METALS AND METALLOGRAPHY.JAN 2004,VOL 97,1-6

Zel'dovich VI, Frolova NY, Pilyugin VP, Gundyrev VM
Amorphous and nanocrystalline structures obtained in titanium nickelide upon severe plastic
deformation and subsequent heating.
PHYSICS OF METALS AND METALLOGRAPHY.JAN 2004,VOL 97,50-58

Kim, SM Kim, J Shin, DH Ko, YG Lee, CS Semiatin, SL
Microstructure development and segment formation during ECA pressing of Ti-6Al-4V alloy.
SCRIPTA MATERIALIA.APR 2004,VOL 50,927-930

Hebert RJ, Per-ezko JH
Deformation-induced synthesis and structural transformations of metallic multilayers.
SCRIPTA MATERIALIA.MAR 2004,VOL 50,807-812

Liao XZ, Zhao YH, Srinivasan SG, Zhu YT, Valiev RZ, Gunderov DV
Deformation twinning in nanocrystalline copper at room temperature and low strain rate.
APPLIED PHYSICS LETTERS.JAN 26 2004,VOL 84,592-594

Im JT, Hartwig KT, Sharp J
Microstructural refinement of cast p-type Bi₂Te₃-Sb₂Te₃ by equal channel angular extrusion.
ACTA MATERIALIA.JAN 5 2004,VOL 52,49-55

Waitz T, Kazykhanov V, Karnthaler HP
Martensitic phase transformations in nanocrystalline NiTi studied by TEM.
ACTA MATERIALIA.JAN 5 2004,VOL 52,137-147

Lim CY, Jung JH, Han SZ
Grain refinement of copper alloys by equal channel angular pressing.
DESIGNING, PROCESSING AND PROPERTIES OF ADVANCED ENGINEERING
MATERIALS, PTS 1 AND 2.MATERIALS SCIENCE FORUM.2004,VOL 449-4,177-180

Todaka Y, Umemoto M, Tsuchiya K
Microstructural change of cementite in carbon steels by deformation.
DESIGNING, PROCESSING AND PROPERTIES OF ADVANCED ENGINEERING
MATERIALS,PTS 1 AND 2
SE MATERIALS SCIENCE FORUM.2004,VOL 449-4,,525-528

Sun PL, Kao PW, Chang CP
Effect of deformation route on microstructural development in aluminum processed by equal
channel angular extrusion.

METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE.APR 2004,,VOL35A,1359-1368

Sus-Ryszkowska M, Wejrzanowski T, Pakiela Z, Kurzydłowski KJ
Microstructure of ECAP severely deformed iron and its mechanical properties
MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES
MICROSTRUCTURE AND PROCESSING.MAR 25 2004,,VOL 369,151-156

Han JH, Suh JY, Oh KH, Lee JC
Orientation rotation behavior in aluminum alloys during dissimilar channel angular pressing.
MATERIALS TRANSACTIONS.JAN2004,VOL 45,125-130

Yu CY, Sun PL, Kao PW, Chang CP
Evolution of microstructure during annealing of a severely deformed aluminum.
MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES
MICROSTRUCTURE AND PROCESSING.FEB 15 2004,VOL 366,310-317

Im JT, Hartwig KT, Sharp J
Microstructural refinement of cast p-type Bi₂Te₃-Sb₂Te₃ by equal channel angular extrusion.
ACTA MATERIALIA.JAN 5 2004,VOL 52,49-55

Wang YY, Sun PL, Kao PW, Chang CP
Effect of deformation temperature on the microstructure developed in commercial purity aluminum processed by equal channel angular extrusion.
SCRIPTA MATERIALIA.MAR 2004,,VOL 50,613-617

Wang JT, Kang SB, Kim HW
Microstructure transformation from lamellar to equiaxed microduplex through equal-channel angular pressing in an Al-33 pct Cu eutectic alloy.
METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE.JAN 2004,VOL 35A,279-286

Zheng LJ, Chen CQ, Zhou TT, Liu PY, Zeng MG
Grain-refining mechanism of ECAP and its effect on microstructures and mechanical properties of pure Al.
RARE METAL MATERIALS AND ENGINEERING.DEC 2004,,VOL 33,1325-1328

Han JH, Oh KH, Lee JC
Effect of accumulative strain on texture evolution in 1050 Al alloys processed by continuous confined strip shearing.
MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES
MICROSTRUCTURE AND PROCESSING.DEC 15 2004,VOL 387-89,240-243

Wu SD, Wang ZG, Jiang CB, Li GY, Alexandrov IV, Valiev RZ

Shear bands in cyclically deformed ultrafine grained copper processed by ECAP.
MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES
MICROSTRUCTURE AND PROCESSING.DEC 15 2004,VOL 387-89,560-564

Takaki S, Tsuchiyama T, Nakashima K, Hidaka H, Kawasaki K, Futamura Y
Microstructure development of steel during severe plastic deformation.
METALS AND MATERIALS INTERNATIONAL.DEC 2004,VOL 10,533-539

Liu Q, Cao WQ, Godfrey A
Microstructural parameter-based characterization of annealing behaviour in metals deformed to high strains.
RECRYSTALLIZATION AND GRAIN GROWTH, PTS 1 AND 2 SE MATERIALS SCIENCE
FORUM.2004,VOL 467-470,387-392

Galiyev A, Kaibyshev R
Dynamic recrystallization and grain growth in a ZK60 magnesium alloy sheet produced by isothermal rolling.
RECRYSTALLIZATION AND GRAIN GROWTH, PTS 1 AND 2 SE MATERIALS SCIENCE
FORUM.2004,VOL 467-470,1175-1180

Kaibyshev R, Mazurina I, Sitdikov O
Geometric dynamic recrystallization in an AA2219 alloy deformed to large strains at an elevated temperature.
RECRYSTALLIZATION AND GRAIN GROWTH, PTS 1 AND 2 SE MATERIALS SCIENCE
FORUM.2004,VOL 467-470,1199-1204

Kaibyshev R, Mazurina I
Mechanisms of grain refinement in aluminum alloys during severe plastic deformation.
RECRYSTALLIZATION AND GRAIN GROWTH, PTS 1 AND 2 SE MATERIALS SCIENCE
FORUM.2004,VOL 467-470,1251-1260

Azevedo G, Barbosa R, Santos DB
Development of an ultrafine grained ferrite in a low C-Mn steel intensely deformed under hot torsion.
RECRYSTALLIZATION AND GRAIN GROWTH, PTS 1 AND 2 SE MATERIALS SCIENCE
FORUM.2004,VOL 467-470,1271-1276

De Messemaeker J, Verlinden B, Van Humbeeck J
Structural evolution of IF steel during annealing after ECAP.
RECRYSTALLIZATION AND GRAIN GROWTH, PTS 1 AND 2 SE MATERIALS SCIENCE
FORUM.2004,VOL 467-470,1295-1300

Mizera J, Lewandowska M, Adamczyk-Cieslak B, Kurzydowski KJ
Recrystallization and grain growth in Al-Li alloys subjected to severe plastic deformation.

RECRYSTALLIZATION AND GRAIN GROWTH, PTS 1 AND 2 SE MATERIALS SCIENCE FORUM.2004,VOL 467-470,1301-1306

Ferrasse S, Segal VM, Alford F

Texture evolution during equal channel angular extrusion (ECAE) - Part II. An effect of post-deformation annealing.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING.MAY 15 2004,VOL 372,235-244

Utsunomiya H, Hatsuda K, Sakai T, Saito Y

Continuous grain refinement of aluminum strip by conshearing

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING.MAY 15 2004,VOL 372,199-206

Furuno K, Akamatsu H, Oh-ishi K, Furukawa M, Horita Z, Langdon TG

Microstructural development in equal-channel angular pressing using a 60 degrees die.

ACTA MATERIALIA.MAY 17 2004,VOL 52,2497-2507

Jining Q, Han JH, Guoding Z, Lee JC

Characteristic of textures evolution induced by equal channel angular pressing in 6061 aluminum sheets.

SCRIPTA MATERIALIA.JUL 2004,VOL 51,185-189

Sun PL, Kao PW, Chang CP

High angle boundary formation by grain subdivision in equal channel angular extrusion.

SCRIPTA MATERIALIA.2004,VOL 51,565-570

Hamilton NE, Ferry M

Grain growth in a nanocrystalline Al-Sc alloy.

MATERIALS TRANSACTIONS.JUL 2004,VOL 45,2264-2271

Todaka Y, Umemoto M, Tanaka S, Tsuchiya K

Formation of nanocrystalline structure at the surface of drill hole in steel.

MATERIALS TRANSACTIONS.JUL 2004,VOL 45,2209-2213

Suwas S, Eberhardt A, Toth LS, Fundenberger JJ, Grosdidier T

A recrystallisation based investigation for efficiency of processing routes during Equal Channel Angular Extrusion.

RECRYSTALLIZATION AND GRAIN GROWTH, PTS 1 AND 2 SE MATERIALS SCIENCE FORUM.2004,VOL 467-470,1325-1330

Ma G, Luo Y, Chen CH, Ren RM, Wu W, Li ZQ, Zeng YS

Surface nanocrystallization of commercial pure titanium by shot peening.

TRANSACTIONS OF NONFERROUS METALS SOCIETY OF CHINA.OCT 2004,VOL

14,204-209

Stolyarov VV, Zhu YT, Raab GI, Zharikov AI, Valiev RZ

Effect of initial microstructure on the microstructural evolution and mechanical properties of Ti during cold rolling.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING. NOV 15 2004, VOL 385, 309-313

Han JH, Suh JY, Oh KH, Lee JC

Effects of the deformation history and the initial textures on the texture evolution in an Al alloy strip during the shear deforming process.

ACTA MATERIALIA. 2004, VOL 52, 4907-4918

Haouaoui M, Karaman I, Maier HJ, Hartwig KT

Microstructure evolution and mechanical behavior of bulk copper obtained by consolidation of micro- and nanopowders using equal-channel angular extrusion.

METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE. 2004, VOL 35A, 2935-2949

Wu PC, Chang CP, Kao PW

The distribution of dislocation walls in the early processing stage of equal channel angular extrusion.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING. JUN 15 2004, VOL 374, 196-203

Munoz-Morris MA, Oca CG, Gonzalez-Doncel G, Morris DG

Microstructural evolution of dilute Al-Mg alloys during processing by equal channel angular pressing and during subsequent annealing.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING. JUL 15 2004, VOL 375-77, 853-856

Angella G, Bassani P, Tuissi A, Vedani M

Intermetallic particle evolution during ECAP processing of a 6082 alloy

MATERIALS TRANSACTIONS. JUL 2004, VOL 45, 2182-2186

Properties and application

Shin DH, Du Ahn B, Soo H, Kim WK, Park KT

Effect of post-rolling after ECAP on superplastic behavior of commercial Al-Mg alloy.

JOURNAL OF RARE EARTHS. AUG 2004, VOL 22, 53-56

Pei QX, Lu C, Fu MW

Coupled thermo-mechanical analysis of severe plastic deformation for producing bulk nanostructured materials.

ADVANCED ENGINEERING MATERIALS.DEC 2004,VOL 6,933-936

Li XW, Umakoshi Y, Wu SD, Wang ZG, Alexandrov IV, Valiev RZ

Temperature effects on the fatigue behavior of ultrafine-grained copper produced by equal channel angular pressing.

PHYSICA STATUS SOLIDI A-APPLIED RESEARCH.DEC 2004,VOL 201,119-122

Rybal'chenko OV, Dobatkin SV, Kaputkina LM, Raab GI, Krasilnikov NA

Strength of ultrafine-grained corrosion-resistant steels after severe plastic deformation.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING.DEC 15 2004,VOL 387-89,244-248

Li YJ, Blum W, Breutingner F

Does nanocrystalline Cu deform by Coble creep near room temperature.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING.DEC 15 2004,VOL 387-89,585-589

Xu C, Horita ZJ, Furukawa M, Langdon TG

Using equal-channel angular pressing for the production of superplastic aluminum and magnesium alloys.

JOURNAL OF MATERIALS ENGINEERING AND PERFORMANCE.DEC 2004,VOL 13,683-690

Ma E

Recent progress in improving ductility of ultra-high strength nanostructured metals.

METALS AND MATERIALS INTERNATIONAL.DEC 2004,VOL 10,527-531

Huang CX, Wu SD, Li GY, Liu T, Jiang CB, Li SX

Effect of cyclic deformation on room temperature tensile behaviors of ultrafine grained copper.

ACTA METALLURGICA SINICA.NOV 11 2004,VOL 40,1165-1169

Eksi AK, Varol R, Saritas S

Hardness and densification behaviour of cold isostatically pressed powders.

METALL.2004,VOL 58,633-636

Glezer AM, Pozdnyakov VA

Relaxation mechanisms and different paths of defect-structure evolution under severe plastic deformations.

DOKLADY PHYSICS.OCT 2004,VOL 49,570-572

Sakai G, Horita Z, Langdon TG

An evaluation of superplastic anisotropy after processing by equal-channel angular pressing.

MATERIALS TRANSACTIONS,OCT 2004,VOL 45,3079-3081

Cabibbo M, Evangelista E, Latini V

Thermal stability study on two aluminum alloys processed with equal channel angular pressing.

JOURNAL OF MATERIALS SCIENCE.S- 15 2004,VOL 39,5659-5667

Ma G, Luo Y, Chen C, Ren RM, Wu W, Li ZQ, Zeng YS

Surface nanocrystallization of commercial pure titanium by shot peening.

TRANSACTIONS OF NONFERROUS METALS SOCIETY OF CHINA.OCT 2004,VOL 14,204-209

Charit I, Mishra RS

Evaluation of microstructure and superplasticity in friction stir processed 5083 Al alloy.

JOURNAL OF MATERIALS RESEARCH.NOV 2004,VOL 19,3329-3342

Lowe TC, Valiev RZ

The use of severe plastic deformation techniques in grain refinement.

JOM.OCT 2004,VOL 56-64

Zherebtsov SV, Salishchev GA, Galeyev RM, Valiakhmetov OR, Mironov SY, Semiatin SL

Production of submicrocrystalline structure in large-scale Ti-6Al-4V billet by warm severe deformation processing.

SCRIPTA MATERIALIA.DEC 2004,VOL 51,1147-1151

Liu T, Wang YD, Wu S, Peng RL, Huang CX, Jiang CB, Li SX

Textures and mechanical behavior of Mg-3.3%Li alloy after ECAP.

SCRIPTA MATERIALIA.DEC 2004,VOL 51,1057-1061

Perez-Prado MT, del Valle JA, Ruano OA

Grain refinement of Mg-Al-Zn alloys via accumulative roll bonding.

SCRIPTA MATERIALIA.DEC 2004,VOL 51,1093-1097

Sato M, Tsuji N, Minamino Y, Koizumi Y

Formation of nanocrystalline surface layers in various metallic materials by near surface severe plastic deformation.

SCIENCE AND TECHNOLOGY OF ADVANCED MATERIALS.JAN-MAR 2004,VOL 5,145-152

Markushev MV, Murashkin MY

Strength and crack resistance of commercial aluminum alloys 1560 and 5083 of the Al-Mg-Mn system after severe plastic deformation via angular pressing.

PHYSICS OF METALS AND METALLOGRAPHY.AUG 2004,VOL 98,221-231

Hoppel HW, May J, Goken M

Enhanced strength and ductility in ultrafine-grained aluminium produced by accumulative roll bonding.

ADVANCED ENGINEERING MATERIALS.S- 2004,VOL 6,781-784

Li YJ, Zeng XH, Blum W

Transition from strengthening to softening by grain boundaries in ultrafine-grained Cu.

ACTA MATERIALIA.OCT 4 2004,VOL 52,5009-5018

Kamachi M, Furukawa M, Horita Z, Langdon TG

Achieving superplasticity of Al-1%Mg-0.2%Sc alloy in plate samples processed by equal-channel angular pressing.

MATERIALS TRANSACTIONS.AUG 2004,VOL 45,2521-2524

Yoshida Y, Arai K, Roh S, Kamado S, Kojima Y

Superplastic deformation of AZ61 magnesium alloy having fine grains.

MATERIALS TRANSACTIONS.AUG 2004,VOL 45,2537-2541

Stolyarov VV, Lapovok R

Effect of backpressure on structure and properties of AA5083 alloy processed by ECAP.

JOURNAL OF ALLOYS AND COMPOUNDS.S- 22 2004,VOL 378,233-236

Chuvil'deev V, Nieh TG, Gryaznov MY, Kopylov VI, Sysoev AN

Superplasticity and internal friction in microcrystalline AZ91 and ZK60 magnesium alloys processed by equal-channel angular pressing.

JOURNAL OF ALLOYS AND COMPOUNDS.S- 22 2004,VOL 378,253-257

Zhao YH, Liao XZ, Jin Z, Valiev RZ, Zhu YT

Microstructures and mechanical properties of ultrafine grained 7075 Al alloy processed by ECAP and their evolutions during annealing.

ACTA MATERIALIA.S- 6 2004,VOL 52,4589-4599

Dalla Torre F, Lapovok R, Sandlin J, Thomson PF, Davies CHJ, Pereloma EV

Microstructures and properties of copper processed by equal channel angular extrusion for 1-16 passes.

ACTA MATERIALIA.S- 20 2004,VOL 52,4819-4832

Wei Q, Cheng S, Ramesh KT, Ma E

Effect of nanocrystalline and ultrafine grain sizes on the strain rate sensitivity and activation volume: fcc versus bcc metals.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSINGS.S- 15 2004,VOL 381,71-79

Korchef A, Njah N, Masmoudi J, Kolsi A, Champion Y, Guerin S, Leroux C

Evolution of the mechanical properties of aluminum containing Al₈Fe₂Si precipitates during equal channel angular pressing.

ADVANCED ENGINEERING MATERIALS.AUG 2004,VOL 6,639-643

Mughrabi H, Hoppel HW, Kautz M

Fatigue and microstructure of ultrafine-grained metals produced by severe plastic deformation.

SCRIPTA MATERIALIA.OCT 2004,VOL 51,807-812

Korzniikova GF, Noskova NI, Korneva AV, Korznicov AV

Mechanical and magnetic properties of Fe-Cr-Co hard magnetic alloys subjected to severe plastic deformation.

PHYSICS OF METALS AND METALLOGRAPHY.JUL 2004,VOL 98,107-114

Wang YM, Ma E

Strain hardening, strain rate sensitivity, and ductility of nanostructured metals

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES

MICROSTRUCTURE AND PROCESSING.JUL 15 2004,VOL 375-77,46-52

Prangnell PB, Bowen JR, Apps PJ

Ultra-fine grain structures in aluminium alloys by severe deformation processing.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES

MICROSTRUCTURE AND PROCESSING.JUL 15 2004,VOL 375-77,178-185

Tcherdyntsev VV, Kaloshkin SD, Gunderov DV, Afonina EA, Brodova IG, Stolyarov V, Baldokhin YV, Shelekhov EV, Tomilin IA

Phase composition and microhardness of rapidly quenched Al-Fe alloy after high pressure torsion deformation.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES

MICROSTRUCTURE AND PROCESSING.JUL 15 2004,VOL 375-77,888-893

Botta WJ, Fogagnolo JB, Rodrigues CAD, Kiminami CS, Bolfarini C, Yavari AR

Consolidation of partially amorphous aluminium-alloy powders by severe plastic deformation.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES

MICROSTRUCTURE AND PROCESSING.JUL 15 2004,VOL 375-77,936-941

Schiotz J, Besseghini S, Villa E, Passaretti F, Pini M, Bonfanti F

Plastic deformation of NiMnGa polycrystals.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES

MICROSTRUCTURE AND PROCESSING.JUL 25 2004,VOL 378,415-418

Lee SH, Utsunomiya H, Sakai T

Microstructures and mechanical properties of ultra low carbon interstitial free steel severely deformed by a multi-stack accumulative roll bonding process.

MATERIALS TRANSACTIONS.JUL 2004,VOL 45,2177-2181

Vinogradov A, Suzuki Y, Ishida T, Kitagawa K, Kopylov VI

Effect of chemical composition on structure and properties of ultrafine grained Cu-Cr-Zr alloys produced by equal-channel angular pressing.

MATERIALS TRANSACTIONS.JUL 2004,VOL 45,2187-2191

Lapovok R, Thomson PF, Cottam R, Estrin Y

The effect of warm equal channel angular extrusion on ductility and twinning in magnesium alloy ZK60.

MATERIALS TRANSACTIONS.JUL 2004,VOL 45,2192-2199

Belyakov A, Sakai Y, Hara T, Kimura Y, Tsuzaki K

Effect of nano-sized oxides on annealing behaviour of ultrafine grained steels.

MATERIALS TRANSACTIONS.JUL 2004,VOL 45,2252-2258

Tsuji N, Okuno S, Koizumi Y, Minamino Y

Toughness of ultrafine grained ferritic steels fabricated by ARB and annealing process.

MATERIALS TRANSACTIONS.JUL 2004,VOL 45,2272-2281

Kwon YJ, Shigematsu I, Saito N

Mechanical property improvements in aluminum alloy through grain refinement using friction stir process.

MATERIALS TRANSACTIONS.JUL 2004,VOL 45,2304-2311

Musin F, Kaibyshev R, Motohashi Y, Itoh G

Superplastic behavior and microstructure evolution in a commercial Al-Mg-Sc alloy subjected to intense plastic straining.

METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE.AUG 2004,VOL 35A2383-2392

Nagasekhar AV, Tick-Hon Y

Optimal tool angles for equal channel angular extrusion of strain hardening materials by finite element analysis.

COMPUTATIONAL MATERIALS SCIENCE.AUG 2004,VOL 30,489-495

Brailovski V, Khmelevskaya IY, Prokoshkin SD, Pushin VG, Ryklina, Valiev RZ

Foundations of heat and thermomechanical treatments and their effect on the structure and properties of titanium nickelide-based alloys.

PHYSICS OF METALS AND METALLOGRAPHY.2004, VOL 97,3-55

Valiev R

Nanostructuring of metals by severe plastic deformation for advanced properties.

NATURE MATERIALS.AUG 2004,VOL 3,511-516

Park KT, Lee HJ, Lee CS, Nam WJ, Shin DH

Enhancement of high strain rate superplastic elongation of a modified 5154 Al by subsequent rolling after equal channel angular pressing.

SCRIPTA MATERIALIA.S- 2004,VOL 51,479-483

Chinh NQ, Horvath G, Horita Z, Langdon TG

A new constitutive relationship for the homogeneous deformation of metals over a wide range of strain.

ACTA MATERIALIA.JUL 12 2004,VOL 52,3555-3563

Luo P, Hu QD, Wu XL, Xia KN

Equal Channel Angular Deformation process and its neuro-simulation for fine-grained magnesium alloy.

TRANSACTIONS OF NONFERROUS METALS SOCIETY OF CHINA.JUN 2004,VOL 14,525-529

Torre FHD, Pereloma EV, Davies CHJ

Strain rate sensitivity and apparent activation volume measurements on equal channel angular extruded Cu processed by one to twelve passes.

SCRIPTA MATERIALIA.S- 2004,VOL 51,367-371

Barber RE, Dudo T, Yasskin PB, Hartwig KT

Product yield for ECAE processing.

SCRIPTA MATERIALIA.S- 2004,VOL 51,373-377

Alkorta J, Sevillano JG

Measuring the strain rate sensitivity by instrumented indentation. Application to an ultrafine grain (equal channel angular-pressed) eutectic Sn-Bi alloy.

JOURNAL OF MATERIALS RESEARCH.JAN 2004,VOL 19,282-290

Liao XZ, Zhao YH, Zhu YT, Valiev RZ, Gunderov DV

Grain-size effect on the deformation mechanisms of nanostructured copper processed by high-pressure torsion.

JOURNAL OF APPLIED PHYSICS.JUL 1 2004,VOL 96,636-640

Balyanov A, Kutnyakova J, Amirkhanova NA, Stolyarov VV, Valiev RZ, Liao XZ, Zhao YH, Jiang YB, Xu HF, Lowe TC, Zhu YT

Corrosion resistance of ultra fine-grained Ti.

SCRIPTA MATERIALIA.AUG 2004,VOL 51,225-229

Geng HB, Kang SB, Min BK

High temperature tensile behavior of ultra-fine grained Al-3.3Mg-0.2Sc-0.2Zr alloy by equal channel angular pressing.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES. MICROSTRUCTURE AND PROCESSING.MAY 25 2004,VOL 373,229-238

Geng HB, Kang SB, He SY

Microstructural evolution and thermal stability of ultra-fine grained Al-4Mg alloy by equal channel

angular pressing.

JOURNAL OF MATERIALS SCIENCE & TECHNOLOGY.MAY 2004,VOL 20,315-318

Hong SI, Kim PH, Choi YC

High strain rate superplasticity of deformation processed Cu-Ag filamentary composites.

SCRIPTA MATERIALIA.JUL 2004,VOL 51,95-99

Matsubara K, Miyahara Y, Horita Z, Langdon TG

Achieving enhanced ductility in a dilute magnesium alloy through severe plastic deformation.

METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE.JUN 2004,VOL 35,1735-1744

Hoppel HW, May J, Goken M

Enhanced strength and ductility in ultrafine-grained aluminium produced by accumulative roll bonding.

ADVANCED ENGINEERING MATERIALS.APR 2004,VOL 6,219-222

Korchef A, Njah N, Champion Y, Guerin S, Leroux C, Masmoudi J, Kolsi A

Material flow during equal channel angular pressing of aluminum containing Al₈Fe₂Si precipitates.

ADVANCED ENGINEERING MATERIALS.APR 2004,VOL 6,222-228

Kim, HK Chung, CS Cha, BS Goo, BH Hyun, CY

Mechanical properties and microstructures of an AZ31 Mg alloy through severe plastic deformation,

PRAKTISCHE METALLOGRAPHIE-PRACTICAL METALLOGRAPHY,MAR 2004,VOL 41,142-155

Tanaka T, Higashi K

Superplasticity at room temperature in Zn-22Al alloy processed by equal-channel-angular extrusion.

MATERIALS TRANSACTIONS.APR 2004,,VOL 45,1261-1265

Huang JY, Zhu YTT, Alexander DJ, Liao XZ, Lowe TC, Asaro RJ

Development of r-eticative corrugation and straightening.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING.APR 25 2004,VOL 371,35-39

Stolyarov VV, Shuster LS, Migranov MS, Valiev RZ, Zhu YT

Reduction of friction coefficient of ultrafine-grained CP titanium.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING.APR 25 2004,VOL 371,313-317

Song JW, Han JW, Kim MS, Hwang SK

Fabrication of magnesium alloy (AZ31) sheet by extrusion.

DESIGNING, PROCESSING AND PROPERTIES OF ADVANCED ENGINEERING MATERIALS, PTS 1 AND 2. MATERIALS SCIENCE FORUM. 2004, VOL 449-4, 65-68

Lee SH, Lee CH, Lim CY

Effect of stacking layer number on mechanical properties of accumulative roll bonding processed aluminum.

DESIGNING, PROCESSING AND PROPERTIES OF ADVANCED ENGINEERING MATERIALS, PTS 1 AND 2

SE MATERIALS SCIENCE FORUM. 2004, VOL 449-4, 161-164

Chang SY, Lee SW, Kim JC, Kim YS, Shin DH

Tensile deformation characteristics of commercial Mg alloys processed by equal channel angular pressing.

DESIGNING, PROCESSING AND PROPERTIES OF ADVANCED ENGINEERING MATERIALS, PTS 1 AND 2

SE MATERIALS SCIENCE FORUM. 2004, VOL 449-4, 645-648

Xia ZY, Hartwig T, Sue HJ

Mechanical Behavior of bulk poly(ethylene terephthalate) subjected to simple shear

JOURNAL OF MACROMOLECULAR SCIENCE-PHYSICS. 2004, VOL B43, 385-403

Shin DH, Hwang DY, Oh YJ, Park KT

High-strain-rate superplastic behavior of equal-channel angular-pressed 5083 Al-0.2 Wt Pct Sc.

METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE. MAR 2004, VOL 35A, 825-837

Elantsev AV, Popov AA, Demakov SL, Elantseva EV

Structure and properties of aluminum materials subjected to severe plastic deformation.

PHYSICS OF METALS AND METALLOGRAPHY. JAN 2004, VOL 97, 59-64

Markushev MV, Murashkin MY

Structure and mechanical properties of commercial Al-Mg 1560 alloy after equal-channel angular extrusion and annealing.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING. FEB 25 2004, VOL 367, 234-242

Skripnyuk VM, Rabkin E, Estrin Y, Lapovok R

The effect of ball milling and equal channel angular pressing on the hydrogen absorption/desorption properties of Mg-4.95 wt% Zn-0.71 wt% Zr(ZK60) alloy.

ACTA MATERIALIA. JAN 19 2004, VOL 52, 405-414

Senkov ON, Miracle DB, Scott JM, Senkova SV

Equal channel angular extrusion compaction of semi-amorphous Al₈₅Ni₁₀Y_{2.5}La_{2.5} alloy powder.

JOURNAL OF ALLOYS AND COMPOUNDS. FEB 25 2004, VOL 365, 126-133

Karaman I, Robertson J, Im JT, Mathaudhu SN, Luo ZP, Hartwig KT

The effect of temperature and extrusion speed on the consolidation of zirconium-based metallic glass powder using equal-channel angular extrusion.

METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE.JAN 2004,VOL 35A,247-256

Liu SM, Wang ZG

Low cycle fatigue properties of Al-Li-Cu-Mg-Zr alloy processed by equal-channel angular pressing.

JOURNAL OF MATERIALS SCIENCE.JAN 15 2004,VOL 39,733-735

Musin F, Kaibyshev R, Motohashi Y, Itoh G

High strain rate superplasticity in a commercial Al-Mg-Sc alloy.

SCRIPTA MATERIALIA.FEB 2004,VOL 50,511-516

Agnew SR, Horton JA, Lillo TM, Brown DW

Enhanced ductility in strongly textured magnesium produced by equal channel angular processing.

SCRIPTA MATERIALIA.FEB 2004,VOL 50,377-381

Kim YS, Ha JS, Kim WJ

Dry sliding wear characteristics of severely deformed 6061 aluminum and AZ61 magnesium alloys.

DESIGNING, PROCESSING AND PROPERTIES OF ADVANCED ENGINEERING MATERIALS,PTS 1 AND 2

SE MATERIALS SCIENCE FORUM.2004,VOL 449-4,597-600

Chang SY, Lee SW, Kim JC, Kim YS, Shin DH

Tensile deformation characteristics of commercial Mg alloys processed by equal channel angular pressing.

DESIGNING, PROCESSING AND PROPERTIES OF ADVANCED ENGINEERING MATERIALS,PTS 1 AND 2

SE MATERIALS SCIENCE FORUM.2004,VOL 449-4,645-648

Park KT, Lee HJ, Lee CS, Du Ahn B, Cho HS, Shin DH

Effect of ECAP strain on deformation behavior at low temperature superplastic regime of ultrafine grained 5083 Al alloy fabricated by ECAP.

MATERIALS TRANSACTIONS.MAR 2004,,VOL 45,958-963

Fukuda Y, Oh K, Furukawa M, Langdon TG

The application of equal-channel angular pressing to an aluminum single crystal.

ACTA MATERIALIA.APR 5 2004,,VOL 52,1387-1395

Jin H, Lloyd DJ

The tensile response of a fine-grained AA5754 alloy produced by asymmetric rolling and annealing.

METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE.MAR 2004,,VOL 35A,997-1006

Ma A, Saito N, Shigematsu I, Suzuki K, Takagi M, Nishida Y, Iwata H, Imura T
Effect of heat treatment on impact toughness of aluminum silicon eutectic alloy .
MATERIALS TRANSACTIONS.FEB 2004,,VOL 45,399-402

Chang SY, Lee SW, Kang KM, Kamado S, Kojima Y
Improvement of mechanical characteristics in severely plastic-deformed Mg alloys.
MATERIALS TRANSACTIONS.FEB 2004,,VOL 45,488-492

Li YY, Liu Y, Ngai TWL, Zhang DT, Guo GW, Chen WP
Effects of die angle on microstructures and mechanical properties of AZ31 magnesium alloy processed by equal channel angular pressing.
TRANSACTIONS OF NONFERROUS METALS SOCIETY OF CHINA.FEB 2004,,VOL 14,53-57

Sort J, Ile DC, Zhilyaev AP, Concustell A, Cz-pe T, Stoica M, Surinach S, Eckert J, Baro MD
Cold-consolidation of ball-milled Fe-based amorphous ribbons by high pressure torsion.
SCRIPTA MATERIALIA.MAY 2004,VOL 50,1221-1225

Shin DH, Hwang DY, Oh YJ, Park KT
High-strain-rate superplastic behavior of equal-channel angular-pressed 5083 Al-0.2 Wt Pct Sc.
METALLURGICAL AND MATERIALS TRANSACTIONS A-PHYSICAL METALLURGY AND MATERIALS SCIENCE.MAR 2004,,VOL 35A,825-837

Suzuki T, Vinogradov A, Hashimoto S
Strengthening of Au and Au alloys by ECAP processing.
JOURNAL OF THE JAPAN INSTITUTE OF METALS.DEC 2004,,VOL 68,1086-1088

Bowen JR, Prangnell PB, Jensen DJ, Hansen N
Microstructural parameters and flow stress in Al-0.13 % Mg deformed by ECAE processing.
MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING.DEC 15 2004,VOL 387-89,235-239

Semenova IP, Raab GI, Saitova LR, Valiev RZ
The effect of equal-channel angular pressing on the structure and mechanical behavior of Ti-6Al-4V alloy.
MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING.DEC 15 2004,VOL 387-89,805-808

Huang CX, Wu SD, Li GY, Liu T, Jiang CB, Li SX
Effect of cyclic deformation on room temperature tensile behaviors of ultrafine grained copper.
ACTA METALLURGICA SINICA.NOV 11 2004,VOL 40,1165-1169

Lee Z, Zhou F, Valiev RZ, Lavernia EJ, Nutt SR
Microstructure and microhardness of cryomilled bulk nanocrystalline Al-7.5%Mg alloy consolidated by high pressure torsion.
SCRIPTA MATERIALIA.AUG 2004,VOL 51,209-214

Angella G, Bassani P, Tuissi A, Vedani M
Aging behaviour and mechanical properties of a solution treated and ECAP processed 6082 alloy.
MATERIALS TRANSACTIONS.JUL 2004,VOL 45,2282-2287

Poortmans S, Verlinden B
Thermal stability of CP-aluminium during annealing after ECAE.
RECRYSTALLIZATION AND GRAIN GROWTH, PTS 1 AND 2 SE MATERIALS SCIENCE FORUM.2004,VOL 467-470,1319-1324

Segal VM
Engineering and commercialization of equal channel angular extrusion(ECAE).
MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING.NOV 25 2004,VOL 386,269-276

Kim HK, Kim WJ
Microstructural instability and strength of an AZ31 Mg alloy after severe plastic deformation.
MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES MICROSTRUCTURE AND PROCESSING.NOV 15 2004,VOL 385,300-308

De Messemaeker J, Verlinden B, Van Humbeeck J
On the strength of boundaries in submicron IF steel.
MATERIALS LETTERS.NOV 2004,VOL 58,3782-3786

Lowe TC, Valiev RZ
The use of severe plastic deformation techniques in grain refinement.
JOM.OCT 2004,VOL 56,64-78

Liu T, Wang YD, Wu SD, Peng RL, Huang CX, Jiang CB, Li SX
Textures and mechanical behavior of Mg-3.3%Li alloy after ECAP.
SCRIPTA MATERIALIA.DEC 2004,VOL 51,1057-1061

Xu C, Furukawa M, Horita Z, Langdon TG
Severe plastic deformation as a processing tool for developing superplastic metals.
JOURNAL OF ALLOYS AND COMPOUNDS.2004,VOL 378,27-34

Malek P, Cieslar M, Islamgaliev RK
The influence of ECAP temperature on the stability of Al-Zn-Mg-Cu alloy.
JOURNAL OF ALLOYS AND COMPOUNDS.2004,VOL 378,237-241

Modeling

Alexandrov IV

Multiscale studies and modeling of SPD materials.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES
MICROSTRUCTURE AND PROCESSING.DEC 15 2004,VOL 387-89,772-776

Luis-Perez CJ, Luri-Irigoyen R, Gaston-Ochoa D

Finite element modelling of an Al-Mn alloy by equal channel angular extrusion (ECAE).

JOURNAL OF MATERIALS PROCESSING TECHNOLOGY.NOV 10 2004,VOL
153-54,846-852

Dai K, Villegas J, Stone Z, Shaw L

Finite element modeling of the surface roughness of 5052 Al alloy subjected to a surface severe plastic deformation process.

ACTA MATERIALIA.DEC 1 2004,VOL 52,5771-5782

Semiatin SL, Salem AA, Saran MJ

Models for severe plastic deformation by equal-channel angular extrusion.

JOM.OCT 2004,VOL 56,69-77

Li S, Bourke MAM, Beyerlein IJ, Alexander DJ, Clausen B

Finite element analysis of the plastic deformation zone and working load in equal channel angular extrusion.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES
MICROSTRUCTURE AND PROCESSING.S- 25 2004,VOL 382,217-236

Beyerlein IJ, Tome CN

Analytical modeling of material flow in equal channel angular extrusion(ECAE)

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES
MICROSTRUCTURE AND PROCESSING.AUG 25 2004,VOL 380,171-190

Lee JH, Son IH, Im YT

Finite element investigation of equal channel angular extrusion process.

MATERIALS TRANSACTIONS.JUL 2004,VOL 45,2165-2171

Kim HS, Quang P, Seo MH, Hong SI, Baik KH, Lee HR, Nghi DM

Process modelling of equal channel angular pressing for ultrafine grained materials

MATERIALS TRANSACTIONS.JUL 2004,VOL 45,2172-2176

Lee SC, Ha SY, Kim KT, Hwang SM, Huh LM, Chung HS

Finite element analysis for deformation behavior of an aluminum alloy composite containing SiC particles and porosities during ECAP.

MATERIALS SCIENCE AND ENGINEERING A-STRUCTURAL MATERIALS PROPERTIES
MICROSTRUCTURE AND PROCESSING.APR 25 2004,VOL 371,306-312

Choi HJ, Hwang BB, Ko BD, Lim JY, Jang DH

Numerical analysis on the dissimilar channel angular pressing by multi-pass rolling.

DESIGNING, PROCESSING AND PROPERTIES OF ADVANCED ENGINEERING
MATERIALS,PTS 1 AND 2

SE MATERIALS SCIENCE FORUM.2004,VOL 449-4,101-104

Chung SW, Somekawa H, Kinoshita T, Kim WJ, Higashi K

The non-uniform behavior during ECAE process by 3-D FVM simulation.

SCRIPTA MATERIALIA.APR 2004,VOL 50,1079-1083